Index of Authors

ACKERS, J. P. *See* CRUZ-REYES, J. A.

ADAMSON, M. L. and NOBLE, S. Structure of the pinworm (Oxyurida: Nematoda) guild in the hindgut of the American cockroach, *Periplaneta americana*, 497

ADLER, F. R. and KRETZSCHMAR, M. Aggregation and stability in parasite-host models, 199

AGEY, M. W. *See* ARTAMA, W. T.

ALEXANDER, J. *See* ROBERTS, C. W.

ALLAN, J. C., CRAIG, P. S., GARCIA NOVAL, J., MENCOS, F., LIN, D., WANG, Y., WEN, H., ZHON, P., STRINGER, R., ROGAN, M. and ZEYHLE, E. Coproantigen detection for immunodiagnosis of echinococcosis and taeniasis in dogs and humans, 347

ALLEN, J. M. *See* WARD, S. M.

ALLSOPP, B. A. *See* BISHOP, R.

AMEN, R. I., BAGGEN, J. M. C., BEZEMER, P. D. and DE JONG-BRINK, M. Modulation of the activity of the internal defence system of the pond snail *Lymnaea stagnalis* by the avian schistosome *Trichobilharzia ocellata*, 33

ANDERSEN, K. I. and VALTONEN, E. T. Segregation and co-occurrence of larval cestodes in freshwater fishes in the Bothnian Bay, Finland, 161

ARTAMA, W. T., AGEY, M. W. and DONELSON, J. E. DNA comparisons of *Trypanosoma evansi* (Indonesia) and *Trypanosoma brucei* spp., 67

ASHALL, F. *See* HEALY, N.

BAGGEN, J. M. C. *See* AMEN, R. I.

BALDWIN, C., *See* DENHAM, D. A.

BAYLIS, H. *See* BISHOP, R.

BENDER, D. A. *See* NJAGI, E. N. M.

BENNETT, J. L. *See* BLAIR, K. L.

BEZEMER, P. D. *See* AMEN, R. I.

BIRCH, D. W. *See* DENHAM, D. A.

BISHOP, R., SOHANPAL, B., KARIUKI, D. P., YOUNG, A. S., NENE, V., BAYLIS, H., ALLSOPP, B. A., SPOONER, P. R., DOLAN, T. T. and MORZARIA, S. P. Detection of a carrier state in *Theileria parva*-infected cattle by the polymerase chain reaction, 215

BLAIR, K. L., BENNETT, J. L. and PAX, R. A. Praziquantel: physiological evidence for its site(s) of action in magnesium-paralysed *Schistosoma mansoni*, 59

BOREHAM, P. F. L. *See* UPCROFT, J. A.

BOREL, G. *See* THÉRON, A.

BUMSTEAD, N. and MILLARD, B. J. Variation in susceptibility of inbred lines of chickens to seven species of *Eimeria*, 407

BUNDY, D. A. P. *See* CHAN, L.

BUNDY, D. A. P. *See* NOKES, C.

BURNELL, A. M. *See* DIX, I.

BUSH, A. O. *See* KENNEDY, C. R.

CAPRON, A. *See* PLUMAS-MARTY, B.

CESBRON, M.-F. *See* PLUMAS-MARTY, B.

CHAN, L., KAN, S. P. and BUNDY, D. A. P. The effect of repeated chemotherapy of age-related predisposition to *Ascaris lumbricoides* and *Trichuris trichiura*, 371

CHANDIWANA, S. K. *See* WOOLHOUSE, M. E. J.

CHAPPELL, L. H. *See* WASTLING, J. M.

CIBULSKIS, R. E. Genetic variation in *Trypanosoma brucei* and the epidemiology of sleeping sickness in the Lambwe Valley, Kenya, 99

COETZEE, J. *See* HOPPE, H. C.

COMBES, D. *See* IMBERT-ESTABLET, D.

COOPER, E. S. and NOKES, C.

CRAIG, P. S. *See* ALLAN, J. C.

CRUZ-REYES, J. A., SPICE, W. M., REHMAN, T., GISBORNE, E. and ACKERS, J. P. Ribosomal DNA sequences in the differentiation of pathogenic and non-pathogenic isolates of *Entamoeba histolytica*, 239

DANEK, J. and STOITSOVA, S. R.

DANIEL, B. E., PRESTON, T. M. and SOUTHGATE, V. R. The *in vitro* transformation of the miracidium to the mother sporocyst of *Schistosoma margrebowiei*; changes in the parasite surface and implications for interactions with snail plasma factors, 41

DAY, K. P. *See* READ, A. F.

DE JONG-BRINK, M. *See* AMEN, R. I.

DE JONG-BRINK, M. *See* SCHALLIG, H. D. F. H.

DE VLAS, S. J., GRYSEELS, B., VAN OORTMARSSEN, G. J., POLDERMAN, A. M. and HABBEMA, J. D. F. A model for variations in single and repeated egg counts in *Schistosoma mansoni* infections, 451

DENHAM, D. A., MEDEIROS, F., BALDWIN, C., KUMAR, H., MIDWINTER, I. C. T., BIRCH, D. W. and SMAIL, A. Repeated infection of cats with *Brugia pahangi*: parasitological observations, 415

DIX, I., BURNELL, A. M., GRIFFIN, C. T., JOYCE, S. A., NUGENT, M. J. and DOWNES, M. J. The identification of biological species in the genus *Heterorhabditis* (Nematoda: Heterorhabditidae) by cross-breeding second-generation amphimictic adults, 509

DOLAN, T. T. *See* BISHOP, R.

DONELSON, J. E. *See* ARTAMA, W. T.

DOWNES, M. J. *See* DIX, I.

DRAKE, L. *See* HEALY, N.

DUVALLET, G. *See* MÜLLER, N.

DWINGER, R. H. *See* MÜLLER, N.

ELKINS, D. B. *See* HASWELL-ELKINS, M. R.

ENAHORO, H. *See* HEALY, N.

FRAME, I. *See* WILSON, S. M.

FRAZIER, J. A. *See* KAWAZOE, U.

FUJISAKI, K. *See* SUGIMOTO, C.

GABRION, C. *See* LEDUCQ, R.

GARCIA NOVAL, J. *See* ALLAN, J. C.

GISBORNE, E. *See* CRUZ-REYES, J. A.

GOATER, C. P. Experimental population dynamics of *Rhabdias bufonis* (Nematoda) in toads (*Bufo bufo*): density-dependence in the primary infection, 179

GODFREY, D. G. *See* STEVENS, J. R.

GORCHILOVA, L. N. *See* STOITSOVA, S. R.

GRANTHAM-MCGREGOR, S. M. *See* NOKES, C.

GREIG, S. *See* HEALY, N.

GRIFFIN, C. T. *See* DIX, I.

GRYSEELS, B. *See* DE VLAS, S. J.

HABBEMA, J. D. F. *See* DE VLAS, S. J.

HASWELL-ELKINS, M. R., LEONARD, H., KENNEDY, M. W., ELKINS, D. B. and MAIZELS, R. M. Immunoepidemiology of *Ascaris lumbricoides*: relationships between antibody specificities, exposure and infection in a human community, 153

HAYNES, J. R. *See* KORBSRISATE, S.

HEALEY, A. *See* UPCROFT, J. A.

HEALY, N., GREIG, S., ENAHORO, H., ROBERTS, H., DRAKE, L., SHAW, E. and ASHALL, F. Detection of peptidases of

Trypanosoma cruzi epimastigotes using chromogenic and fluorogenic substrates, 315

HEMPHILL, A. *See* MÜLLER, N.

HENDERSON, R. J. *See* JONES, D. A. C.

HO, L. C. *See* WEE, J. L. K.

HOLMES, P. H. *See* SUTHERLAND, I. A.

HOPPE, H. C., COETZER, J. and LOUW, A. L. *Plasmodium falciparum*: isolation of intact and erythrocyte-free trophozoites from sorbitol lysates, 379

IMBERT-ESTABLET, D. and COMBES, C. Relocation of *Schistosoma mansoni* in the lungs and resistance to reinfection in *Rattus rattus*, 51

IMBERT-ESTABLET, D. *See* THÉRON, A.

IMBODEN, M. *See* MÜLLER, N.

IMOSE, J. *See* NAKAMURA, T.

ISHIWATA, K., OKU, Y., ITO, M. and KAMIYA, M. Responses to larval *Taenia taeniaeformis* in mice with severe combined immunodeficiency (*scid*), 363

ITO, M. *See* ISHIWATA, K.

JONES, D. A. C., HENDERSON, R. J. and RILEY, J. Preliminary characterization of the lipid and protein components of the protective surface membranes of a pentastomid *Porocephalus crotali*, 469

JOYCE, S. A. *See* DIX, I.

KAMIO, T. *See* SUGIMOTO, C.

KAMIYA, M. *See* ISHIWATA, K.

KAN, S. P. *See* CHAN, L.

KARIUKI, D. P. *See* BISHOP, R.

KAWAGUCHI, H. *See* NAKAMURA, T.

KAWAZOE, U., TOMLEY, F. M. and FRAZIER, J. A. Fractionation and antigenic characterization of organelles of *Eimeria tenella* sporozoites, 1

KAWAZU, S. *See* SUGIMOTO, C.

KEARN, G. C. and WHITTINGTON, I. D. Diversity of reproductive behaviour in platyhelminth parasites: insemination in some benedeniine (capsalid) monogeneans, 489

KEARN, G. C. *See* WHITTINGTON, I. D.

KENNEDY, C. R. and BUSH, A. O. Species richness in helminth communities: the importance of multiple congeners, 189

KENNEDY, M. W. *See* HASWELL-ELKINS, M. R.

KERR, M. S. *See* SUKHDEO, M. V. K.

KEYMER, A. E. *See* READ, A. F.

KIRK, R. S. and LEWIS, J. W. The laboratory maintenance of *Sanguinicola inermis* Plehn, 1905 (Digenea: Sanguinicolidae), 121

KLÄGER, S. *See* TREES, A. J.

KOELLA, J. C. *See* LYIMO, E. O.

KONISHI, E. and NAKAO, M. Naturally occurring immunoglobulin M antibodies: enhancement of phagocytic and microbicidal activities of human neutrophils against *Toxoplasma gondii*, 427

KONISHI, T. *See* NAKAMURA, T.

KORBSRISATE, S., MONGKOLSUK, S., HAYNES, J. R., WONG, Q. and SIRISINHA, S. Cloning and characterization of ribosomal RNA genes from *Opisthorchis viverrini*, 323

KOSKIVAARA, M. and VALTONEN, E. T. *Dactylogyrus* (Monogenea) communities on the gills of roach in three lakes in Central Finland, 263

KOSKIVAARA, M., VALTONEN, E. T. and VUORI, K.-M. Microhabitat distribution and coexistence of *Dactylogyrus* species (Monogenea) on the gills of roach, 273

KRETZSCHMAR, M. *See* ADLER, F. R.

KUMAR, H. *See* DENHAM, D. A.

KUSEL, J. R. *See* MARTIN, R. J.

LEDUCQ, R. and GABRION, C. Developmental changes of *Echinococcus multilocularis* metacestodes revealed by tegumental ultrastrucure and lectin-binding sites, 129

LEHMANN, T. Ectoparasite impacts on *Gerbillus andersoni allenbyi* under natural conditions, 479

LEONARD, H. *See* HASWELL-ELKINS, M. R.

LEWIS, J. W. *See* KIRK, R. S.

LIGHTOWLERS, M. W. *See* LIN, D.

LIN, D., LIGHTOWLERS, M. W. and RICKARD, M. D. Evaluation of a monoclonal antibody-based competition ELISA for the diagnosis of human hydatidosis, 357

LIN, D. *See* ALLAN, J. C.

LOUW, A. I. *See* HOPPE, H. C.

LOYENS, M. *See* PLUMAS-MARTY, B.

LYIMO, E. O. and KOELLA, J. C. Relationship between body size of adult *Anopheles gambiae s.l.* and infection with the malaria parasite *Plasmodium falciparum*, 233

MACKENZIE, K. *See* WASTLING, J. M.

MAIZELS, R. M. *See* HASWELL-ELKINS, M. R.

MARTIN, R. J. and KUSEL, J. R. On the distribution of a fluorescent ivermectin probe (4″5,7-dimethyl-bodipy proprionylivermectin) in *Ascaris* membranes, 549

MCKERR, G. *See* WARD, S. M.

MCNERNEY, R. *See* WILSON, S. M.

MEDEIROS, F. *See* DENHAM, D. A.

MENCOS, F. *See* ALLAN, J. C.

MIDWINTER, I. C. T. *See* DENHAM, D. A.

MILES, M. A. *See* WILSON, S. M.

MILLARD, B. J. *See* BUMSTEAD, N.

MONGKOLSUK, S. *See* KORBSRISATE, S.

MORAND, S. *See* THÉRON, A.

MORENO, M. B. *See* WILSON, S. M.

MORZARIA, S. P. *See* BISHOP, R.

MOUNSEY, A. *See* SUTHERLAND, I. A.

MÜLLER, N., HEMPHILL, A., IMBODEN, M., DUVALLET, G., DWINGER, R. H. and SEEBECK, T. Identification and characterization of two repetitive non-variable antigens from African trypanosomes which are recognized early during infection, 111

MURRAY, D. G. *See* UPCROFT, J. A.

NAKAMURA, T., KONISHI, T., KAWAGUCHI, H. and IMOSE, J. Estimation of relative fecundity in *Eimeria tenella* strains by a mixed infection method, 11

NAKAO, M. *See* KONISHI, E.

NARARA, A. *See* READ, A. F.

NEE, S. *See* READ, A. F.

NENE, V. *See* BISHOP, R.

NJAGI, E. N. M., BENDER, D. A. and OKELO, G. B. A. Tryptophan metabolism and vitamin B_6 nutritional status in patients with schistosomiasis mansoni and in infected mice, 433

NOBLE, S. *See* ADAMSON, M. L.

NOKES, C., GRANTHAM-MCGREGOR, S. M., SAWYER, A. W., COOPER, E. S. ROBINSON, B. A. and BUNDY, D. A. P. Moderate to heavy infections of *Trichuris trichiura* affect cognitive function in Jamaican school children, 539

NUGENT, M. J. *See* DIX, I.

OKELO, G. B. A. *See* NJAGI, E. N. M.

OKU, Y. *See* ISHIWATA, K.

OUAISSI, M. A. *See* PLUMAS-MARTY, B.

PAX, R. A. *See* BLAIR, K. I.

PIKE, A. W. *See* SHARP, G. J. E.

PLUMAS-MARTY, B., VERWAERDE, C., LOYENS, M., VELGE, P., TAIBI, A., CESBRON, M.-F., CAPRON, A. and OUAISSI, M. A. *Trypanosoma cruzi* glutathione-binding proteins: immunogenicity during human and experimental Chagas' disease, 87

POINTIER, J. P. *See* THÉRON, A.

POLDERMAN, A. M. *See* DE VLAS, S. J.

PRESTON, T. M. *See* DANIEL, B. E.

RATCLIFFE, E. C. and WILSON, R. A. The role of mononuclear-cell

recruitment to the lungs in the development and expression of immunity to *Schistosoma mansoni*, 299

READ, A. F., NARARA, A., NEE, S., KEYMER, A. E. and DAY, K. P. Gametocyte sex ratios as indirect measures of outcrossing rates in malaria, 387

REHMAN, T. *See* CRUZ-REYES, J. A.

RENZ, A. *See* TREES, A. J.

RICKARD, M. D. *See* LIN, D.

RILEY, J. *See* JONES, D. A. C.

ROBERTS, C. W. and ALEXANDER, J. Studies on a murine model of congenital toxoplasmosis: vertical disease transmission only occurs in BALB/c mice infected for the first time during pregnancy, 19

ROBERTS, H. *See* HEALY, N.

ROBINSON, B. A. *See* NOKES, C.

ROGAN, M. *See* ALLAN, J. C.

SASSEN, M. J. M. *See* SCHALLIG, H. D. F. H.

SATO, M. *See* SUGIMOTO, C.

SAWYER, A. W. *See* NOKES, C.

SCHALLIG, H. D. F. H., SASSEN, M. J. M. and DE JONG-BRINK, M. *In vitro* release of the anti-gonadotrophic hormone, schistosomin, from the central nervous system of *Lymnaea stagnalis* is induced with a methanolic extract of cercariae of *Trichobilharzia ocellata*, 309

SCOTT, M. E. *See* TANGUAY, G. V.

SECOMBES, C. J. *See* SHARP, G. J. E.

SEEBECK, T. *See* MÜLLER, N.

SHARP, G. J. E., PIKE, A. W. and SECOMBES, C. J. Sequential development of the immune response in rainbow trout [*Onchorhynchus mykiss* (Walbaum, 1792)] to experimental plerocercoid infections of *Diphyllobothrium dendriticum* (Nitzsch, 1824), 169

SHAW, E. *See* HEALY, N.

SINGH, M. A. *See* WEE, J. L. K.

SIRISINHA, S. *See* KORBSRISATE, S.

SMAIL, A. *See* DENHAM, D. A.

SOHANPAL, B. *See* BISHOP, R.

SOUTHGATE, V. R. *See* DANIEL, B. E.

SPICE, W. M. *See* CRUZ-REYES, J. A.

SPOONER, P. R. *See* BISHOP, R.

STEVENS, J. R. and GODFREY, D. G. Numerical taxonomy of *Trypanozoon* based on polymorphisms in a reduced range of enzymes, 75

STOITSOVA, S. R., GORCHILOVA, L. N. and DANEK, J. Effects of three anthelmintics on the tegument of *Hymenolepis fraterna* (Cestoda), 143

STRINGER, R. *See* ALLAN, J. C.

SUGIMOTO, C., KAWAZU, S., SATO, M., KAMIO, T. and FUJISAKI, K. Preliminarly biochemical characterization of 'veil' structure purified from *Theileria segenti*-, *T. buffeli*- and *T. orientalis*-infected bovine erythrocytes, 207

SUKHDEO, M. V. K. and KERR, M. S. Behavioural adaptation of the tapeworm *Hymenolepis diminuta* to its environment, 331

SUTHERLAND, I. A., MOUNSEY, A. and HOLMES, P. H. Transport of isometamidium (Samorin) by drug-resistant and drug-sensitive *Trypanosoma congolense*, 461

TAIBI, A. *See* PLUMAS-MARTY, B.

TANGUAY, G. V. and SCOTT, M. E. Factors generating aggregation of *Heligmosomoides polygyrus* (Nematoda) in laboratory mice, 519

THÉRON, A., POINTIER, J. P., MORAND, S., IMBERT-ESTABLET, D. and BOREL, G. Long-term dynamics of natural populations of *Schistosoma mansoni* among *Rattus rattus* in patchy environment, 291

TINSLEY, R. C. *See* TOCQUE, K.

TOCQUE, K. and TINSLEY, R. C. Ingestion of host blood by the monogenean *Pseudodiplorchis americanus*: a quantiative analysis, 283

TOMLEY, F. M. *See* KAWAZOE, U.

TREES, A. J., WAHL, G., KLÄGER, S. and RENZ, A. Age-related differences in parasitosis may indicate acquired immunity against microfilariae in cattle naturally infected with *Onchocerca ochengi*, 247

UPCROFT, J. A., HEALEY, A., MURRAY, D. G., BOREHAM, P. F. L. and UPCROFT, P. A gene associated with cell division and drug resistance in *Giardia duodenalis*, 397

UPCROFT, P. *See* UPCROFT, J. A.

VALTONEN, E. T. *See* ANDERSEN, K. I.

VALTONEN, E. T. *See* KOSKIVAARA, M.

VAN OORTHMARSSEN, G. J. *See* DE VLAS, S. J.

VELGE, P. *See* PLUMAS-MARTY, B.

VERWAERDE, C. *See* PLUMAS-MARTY, B.

VUORI, K.-M. *See* KOSKIVAARA, M.

WAHL, G. *See* TREES, A. J.

WANG, Y. *See* ALLAN, J. C.

WARD, S. M., ALLEN, J. M. and MCKERR, G. Physiology of obliquely striated muscle fibres within *Grillotia erinaceus* metacestodes (Cestoda: Trypanorhyncha), 337

WASTLING, J. M. MACKENZIE, K. and CHAPPELL, L. H. Effects of cyclosporin A on the morphology and tegumentary ultrastructure of *Hymenolepis microstoma in vivo*, 531

WEE, J. L. K., HO, L. C., YAP, E. H. and SINGH, M. A monoclonal-based IgM capture ELISA for detection of antibodies to 22 and 41 kDa membrane antigens of *Toxoplasma gondii*, 25

WEN, H. *See* ALLAN, J. C.

WHITTINGTON, I. D. and KEARN, G. C. The eggs and oncomiracidia of *Encotyllabe* spp. and the relationship between encotyllabines and other capsalid monogeneans, 253

WHITTINGTON, I. D. *See* KEARN, G. C.

WILSON, R. A. *See* RATCLIFFE, E. C.

WILSON, S. M., MCNERNEY, R., MORENO, M. B., FRAME, I. and MILES, M. A. Adaptation of a radioactive *L. donovani* complex DNA probe to a chemiluminescent detection system gives enhanced sensitivity for diagnostic and epidemiological applications, 421

WONG, Q. *See* KORBSRISATE, S.

WOOLHOUSE, M. E. J. and CHANDIWANA, S. K. A further model for temporal patterns in the epidemiology of schistosome infections of snails, 443

YAP, E. H. *See* WEE, J. L. K.

YOUNG, A. S. *See* BISHOP, R.

ZEYHLE, E. *See* ALLAN, J. C.

ZHON, P. *See* ALLAN, J. C.

Index of Subjects

Acquired immunity, against microfilariae in *Onchocerca ochengi* -infected cattle, 247
Age-related differences in parasitosis, in *Onchocerca ochengi*, 247
Aggregation, in host–parasite models, 199
of *Heligmosomoides polygyrus* in laboratory mice, 519
American cockroach, structure of the pinworm guild in, 497
Animal model, for human filariasis, 415
Anopheles gambiae, relationship between body size of and infection with *Plasmodium falciparum*, 233
Anthelmintics, effects of on the tegument of *Hymenolepis fraterna*, 143
Antigenic characterization, of the organelles of *Eimeria tenella* sporozoites, 1
Ascaris lumbricoides, effect of repeated chemotherapy on predisposition to, 371
immunoepidemiology of, 153
Ascaris suum, distribution of bodipy ivermectin in the membranes of, 549
Avermectins, distribution and movement of in membranes, 549

Behavioural adaptation, of *Hymenolepis diminuta* to its environment, 331
Benedeniine monogeneans, reproductive behaviour in, 489
Biochemical characterization, of 'veil' structure from *Theileria* spp., 207
Biological species, identification of in the genus *Heterorhabditis*, 509
Blood ingestion, by *Pseudodiplorchis americanus*, 283
Bodipy ivermectin, distribution of in *Ascaris suum* membranes, 549
Body size, of *Anopheles gambiae*, relationship of with *Plasmodium falciparum* infection, 233
Brugia pahangi, repeated infection of cats with, 415
Bufo bufo, experimental population biology of *Rhabdias bufonis* in, 179

Carrier state, in *Theileria parva*-infected cattle, detection of, 215
Cathepsin L-like enzyme, detection of in *Trypanosoma cruzi* epimastigotes, 315
Chemotherapy, effect of on predisposition to *Ascaris lumbricoides* and *Trichuris trichiura*, 371
Chromosome rearrangements, in *Giardia duodenalis*, 397
Clinical trial, to determine the effects of *Trichuris trichiura* infection on cognitive function, 539
Cloning, of ribosomal RNA genes from *Opisthorchis viverrini*, 323
Coexistence, of *Dactylogyrus* spp., on the gills of roach, 273
Cognitive function, effects of *Trichuris trichiura* infection on in Jamaican school children, 539
Communities, of *Dactylogyrus* on the gills of roach, 263
Community richness, the importance of multiple congeners in, 189
Congeners, the importance of in helminth community richness, 189
Congenital toxoplasmosis, murine model of, 19
Co-occurrence, of larval cestodes in freshwater fishes, 161
Coproantigens, in the immunodiagnosis of taeniasis and echinococcosis, 347
Cross-breeding, of second-generation amphimictic adults of *Heterorhabditis*, 509
Cyclosporin A, effects of on *Hymenolepis microstoma in vivo*, 531

Dactylogyrus, communities of on the gills of roach, 263
Dactylogyrus spp., microhabitat distribution and coexistence of on the gills of roach, 273
Delayed-type hypersensitivity, in lungs in immunity to *Schistosoma mansoni*, 299
Developmental changes, of *Echinococcus multilocularis* metacestodes, 129
Diagnosis, of human hydatidosis, 357
Diagnostic application, of chemiluminescent *Leishmania donovani* complex DNA probes, 421
Diphyllobothrium dendriticum plerocercoids, immune response of rainbow trout to, 169
DNA cloning, use of in the identification of trypanosomal repetitive antigens, 111
DNA minicircle sequence, use of in the comparison of *Trypanosoma evansi* with *Trypanosoma brucei* spp., 67
DNA probes, adaptation of to a chemiluminescent detection system, 421
Drug resistance, a gene associated with in *Giardia duodenalis*, 397
Dynamics, of natural populations of *Schistosoma mansoni* among *Rattus rattus*, 291

Echinococcosis, immunodiagnosis of by coproantigen detection, 347
Echinococcus granulosus, diagnosis of in humans, 357
Echinococcus multilocularis, developmental changes of the metacestodes of, 129
diagnosis of in humans, 357
Ectoparasites, impact of on their hosts, 479
Egg counts, stochastic model for variations in, in *Schistosoma mansoni*, 451
Eimeria spp., variation of susceptibility of inbred chickens to, 407
Eimeria tenella, organelles of the sporozoites of, 1
Eimeria tenella strains, relative fecundity of, 11
Encotyllabe spp., the oncomiracidia of, 253
Encotyllabines, relationship of with other capsalid monogeneans, 253
Entamoeba histolytica, differentiation of isolates of, 239
Epidemiological application, of chemiluminescent *Leishmania donovani* complex DNA probes, 421
Epidemiological model, of schistosome infections of snails, 443
Epidemiology, of sleeping sickness in the Lambwe Valley, Kenya, 99
Epimastigotes, detection of peptidases in in *Trypanosoma cruzi*, 315
Erythrocyte-free trophozoites, isolation of, 379
Excretory–secretory antigens, of *Ascaris lumbricoides*, 153

Fingerprint analysis, of ribosomal DNA from *Entamoeba histolytica* isolates, 239

Gametocyte sex ratios, in *Plasmodium falciparum*, 387
Gene, associated with cell functions in *Giardia duodenalis*, 397
Genetic resistance, of chickens to *Eimeria* spp., 407
Genetic variation, in *Trypanosoma brucei*, 99
Gerbillus andersoni allenbyi, impact of ectoparasites on, 479
Giardia duodenalis, a gene associated with cell functions in, 397

Glucose–phosphate isomerase, use of in estimation of relative fecundity in *Eimeria tenella* strains, 11
Glutathione-binding proteins, of *Trypanosoma cruzi*, 87
Grillotia erinaceus, physiology of the muscle fibres in the metacestodes of, 337

Heligmosomoides polygyrus, factors generating aggregation in, in laboratory mice, 519
Helminth communities, species richness in, 189
Heterorhabditis, identification of biological species in, 509
Host heterogeneity, importance of in generating aggregation of *Heligmosomoides polygyrus*, 519
Host–parasite models, aggregation and stability in, 199
Human antibodies, against larval *Ascaris lumbricoides*, 153
Hydatidosis, diagnosis of in humans, 357
Hymenolepis diminuta, behavioural adaptation of to its environment, 331
Hymenolepis fraterna, effects of anthelmintics on the tegument of, 143
Hymenolepis microstoma, effects of cyclosporin A on, 531

IgM ELISA, for detection of *Toxoplasma gondii* membrane antigens, 25
Immune response, of rainbow trout to *Diphyllobothrium dendriticum* plerocercoids, 169
Immunity, to *Schistosoma mansoni*, lung DTH in, 299
Immunodiagnosis, of taeniasis and echinococcosis, 347
of trypanosomiasis in cattle, 111
Immunoepidemiology, of *Ascaris lumbricoides*, 153
Immunogenicity, of *Trypanosoma cruzi* glutathione-binding proteins, 87
Immunoglobulin M antibodies, naturally occurring to *Toxoplasma gondii*, 427
Immunomodulation, of *Lymnaea stagnalis* by *Trichobilharzia ocellata*, 33
Inflammatory response, of rainbow trout to *Diphyllobothrium dendriticum* plerocercoids, 169
Isoenzymes, numerical analyses of in *Trypanozoon*, 75
Isometamidium, transport of by *Trypanosoma congolense*, 461

Larval cestodes, segregation and co-occurrence of in freshwater fishes, 161
Lectin binding sites, on the tegument of *Echinococcus multilocularis* metacestodes, 129
Leishmania donovani, chemiluminescent detection of DNA in, 421
Life-cycle, of *Sanguinicola inermis*, laboratory maintenance of, 121
Locomotory activity, of tapeworms, 331
Lymnaea stagnalis, immunomodulation of by *Trichobilharzia ocellata*, 33
release of schistosomin from *in vitro*, 309

Maintenance, of *Sanguinicola inermis* in the laboratory, 121
Mathematical model, for temporal patterns in the epidemiology of schistosome infections of snails, 443
Membrane antigens, of *Toxoplasma gondii*, 25
Membrane distribution, of bodipy ivermectin in *Ascaris suum*, 549
Metacestodes, physiology of obliquely striated muscle fibres in, 337
Microhabitat distribution, of *Dactylogyrus* spp., on the gills of roach, 273
Miracidium, *in vitro* transformation of to mother sporocyst in *Schistosoma margrebowiei*, 41
Mixed infection method, use of for estimating relative fecundity, 11
Monoclonal antibody, use of to detect *Toxoplasma gondii* membrane antigens, 25
Monogeneans, reproductive behaviour in, 489
Mononuclear cell recruitment, in immunity to *Schistosoma mansoni*, 299
Morphology, effects of cyclosporin A on, in *Hymenolepis microstoma in vivo*, 531
Murine model, of congenital toxoplasmosis, 19
Muscle fibres, physiology of in the metacestodes of *Grillotia erinaceus*, 337

Natural immunity, to *Toxoplasma gondii*, 427
Neuromuscular system, of the metacestodes of *Grillotia erinaceus*, 337
Neutrophils, effects of natural IgM antibodies on the toxoplasmacidal capacity of, 427
Numerical taxonomy, of *Trypanozoon*, 75

Onchocerca ochengi, age-related differences in parasitosis in, 247
Oncomiracidia, of *Encotyllabe* spp., 253
Opisthorchis viverrini, cloning and characterization of rRNA genes from, 323
Organelles, of *Eimeria tenella* sporozoites, 1
Outcrossing rates in malaria, correlation of with gametocyte sex ratios, 387

Parasitological observations, of cats repeatedly infected with *Brugia pahangi*, 415
Parasitosis, age-related differences in *Onchocerca ochengi*, 247
Pentastomid, protective surface membranes of, 469
Peptidases, detection of in *Trypanosoma cruzi* epimastigotes, 315
Periplaneta americana, structure of the pinworm guild in, 497
Pinworm guild, structure of in *Periplaneta americana*, 497
Plasmodium falciparum, gametocyte sex ratios in, 387
isolation of trophozoites from, 379
relationship between infection with and body size of *Anopheles gambiae*, 233
Platyhelminth parasites, diversity of reproductive behaviour in, 489
Polymerase chain reaction analysis, use in the comparison of *Trypanosoma evansi* with *Trypanosoma brucei* spp., 67
use of in analysis of DNA from *Entamoeba histolytica* isolates, 239
in detection of carrier state in *Theileria parva*-infected cattle, 215
Population dynamics, of *Rhabdias bufonis* in *Bufo bufo*, 179
of *Schistosoma mansoni* among *Rattus rattus*, 291
Porocephalus crotali, characterization of the surface membranes of, 469
Praziquantel, site of action of in *Schistosoma mansoni*, 59
Predisposition, to *Ascaris* and *Trichuris*, effects of repeated chemotherapy on, 371
Pseudodiplorchis americanus, ingestion of host blood by, 283

Rainbow trout, immune response of to the plerocercoids of *Diphyllobothrium dendriticum*, 169
Rattus rattus, infection of by *Schistosoma mansoni*, 51
population dynamics of *Schistosoma mansoni* in, 291
Relative fecundity, of strains of *Eimeria tenella*, 11
Repetitive trypanosomal antigens, identification and characterization of, 111
Reproductive behaviour, diversity of in benedeniine monogeneans, 489
Resistance, of rats to reinfection by *Schistosoma mansoni*, 51
Rhabdias bufonis, experimental population dynamics of in *Bufo bufo*, 179
Ribosomal RNA genes, cloning and characterization of from *Opisthorchis viverrini*, 323
Ribosomal DNA sequences, in the differentiation of *Entamoeba histolytica* isolates, 239
Rutilus rutilus, communities of *Dactylogyrus* spp. on the gills of, 263, 273

Samorin, transport of by *Trypanosoma congolense*, 461
Sanguinicola inermis, laboratory maintenance of, 121
Sarcoplasmic membranes, action of praziquantel on in *Schistosoma mansoni*, 59
Schistosoma margrebowiei, surface changes in the larvae of, 41
Schistosoma mansoni, a stochastic model for the variation in egg counts in, 451
infections of in the rat, 51
lung DTH in immunity to, 299
population dynamics of among *Rattus rattus*, 291
site of action of praziquantel in, 59
Schistosome infections of snails, an epidemiological model of, 443
Schistosomiasis, tryptophan metabolism and vitamin B_6 nutritional status in, 433
Schistosomin, *in vitro* release of, from *Lymnaea stagnalis*, 309
Scid mice, responses of *Taenia taeniaeformis*, 363
Segregation, of larval cestodes in freshwater fishes, 161
Sex allocation theory, a simple game theory model of, 387
Species richness, in helminth communities, the importance of congeners in, 189
Sporozoites, of *Eimeria tenella*, antigenic characterization of, 1
Stability, in host–parasite models, 199
Stochastic model, for variation in *Schistosoma mansoni* egg counts, 451
Surface membranes, characterization of in *Porocephalus crotali*, 469
Susceptibility, of inbred chickens, to *Eimeria* spp., 407

Taeniasis, immunodiagnosis of by coproantigen detection, 347
Taenia solium, diagnosis of in humans, 357
Taenia taeniaeformis, responses of *scid* mice to, 363
Tegumental membranes, action of praziquantel on in *Schistosoma mansoni*, 59
Tegumental ultrastructure, effects of anthelmintics on in *Hymenolepis fraterna*, 143
of *Echinococcus multilocularis* metacestodes, 129
Tegumentary ultrastructure, effects of cyclosporin A on, in *Hymenolepis microstoma in vivo*, 531
Theileria-infected erythrocytes, 'veil' structure in, 207
Theileria parva-infected cattle, detection of carrier state in, 215
Toxoplasma gondii, detection of membrane antigens of by IgM ELISA, 25
naturally occurring IgM antibodies to, 427
transmission of in BALB/c mice, 19
Transformation *in vitro*, of the miracidium to the mother sporocyst of *Schistosoma margrebowiei*, 41
Trichobilharzia ocellata, extract of induces release of schistosomin from *Lymnaea stagnalis*, 309
immunomodulation of *Lymnaea stagnalis* by, 33
Trichuris trichiura, effect of infection with on cognitive function in Jamaican school children, 539
effect of repeated chemotherapy on predisposition to, 371
Trophozoites, isolation of from *Plasmodium falciparum*, 379
Trypanosoma brucei, genetic variation in, 99
Trypanosoma brucei spp., comparison of with *Trypanosoma evansi* by DNA sequence, 67
Trypanosoma congolense, transport of isometamidium (Samorin) by, 461
Trypanosoma cruzi, detection of peptidases in the epimastigotes of, 315
glutathione-binding proteins of, 87
Trypanosoma evansi, comparison of with *Trypanosoma brucei* spp., by DNA sequence, 67
Trypanosomal antigens, identification and characterization of, 111
Trypanozoon, numerical taxonomy of, 75
Tryptophan, metabolism of in schistosomiasis, 433
'Veil' structure, in *Theileria* spp. erythrocytes, 207

Vitamin B_6, nutritional status of in schistosomiasis, 433